

Journal of Magnetic Resonance

EDITOR: Wallace S. Brey, Jr.

EDITORIAL BOARD:

E. Raymond Andrew
Edwin D. Becker
A. David Buckingham
S. M. Castellano
B. P. Dailey
P. Diehl
Richard Ernst
Ray Freeman

David M. Grant
R. K. Harris
K. H. Hausser
Paul S. Hubbard
Charles S. Johnson, Jr.
J. Jonas
Masaji Kubo
George C. Levy

Ralph Livingston
Bruce McGarvey
Rex E. Richards
Max T. Rogers
Thomas A. Scott
Bernard L. Shapiro
J. B. Stothers
Robert L. Vold

Volume 25, 1977



ACADEMIC PRESS
New York and London

A Subsidiary of Harcourt Brace Jovanovich, Publishers

Copyright © 1977 by Academic Press, Inc.

ALL RIGHTS RESERVED

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the copyright owner.

Made in Great Britain

CONTENTS OF VOLUME 25

NUMBER 1, JANUARY 1977

E. B. WHIPPLE, G. N. CHMURNY, AND H. D. DOSHAN. Quantitative Measurement of Deuterium Labels by Carbon-13 Magnetic Resonance Spectroscopy	1
E. VAN TREECK AND W. WINDSCH. Influence of Energetic Excitation on the Structure and Location of the Radical II in X-Irradiated Rochelle Salt Studied by ENDOR	15
MARCUS A. HEMMINGA. Analysis of the ESR Spectra of the Cholestane Spin Label in Oriented Multibilayers of Lecithin and Cholesterol in the Gel State	25
A. T. BULLOCK AND C. B. HOWARD. Temperature-Dependent Hyperfine Coupling Constants in Electron Spin Resonance. 5. Amino Group Rotation in the Cation of Diaminodurene	47
H. W. SPIESS, U. HAEBERLEN, AND H. ZIMMERMANN. ^1H Multiple-Pulse Study of a Single Crystal of <i>trans</i> -Diiodoethylene: Example of Self-Decoupling	55
HENRY ZELDES AND RALPH LIVINGSTON. Electron Spin Resonance Study of Liquids during Photolysis. XXII. The 1-Hydro-2,5-pyridinedicarboxylate Anion Radical in Basic Aqueous Solutions	67
G. MICHAEL BANCROFT AND TSUN K. SHAM. An Additive Treatment of ^{115}In Nuclear Quadrupole Coupling Constants for Organoindium Compounds	83
BRIAN E. MANN. The Application of the Forsén-Hoffman Spin-Saturation Method of Measuring Rates of Exchange to the ^{13}C NMR Spectrum of <i>N,N</i> -Dimethylformamide	91
CONLEY STUTZ AND M. Z. LI. NQR Echo Envelope Modulation in $\alpha\text{-N}_2$ Due to Intramolecular Dipolar Coupling	95
S. SUBRAMANIAN, P. NARAYANA MURTY, AND C. R. K. MURTY. ESR of Fe(III) in Ferrous Ammonium Sulphate Hexahydrate, $\text{Fe}(\text{NH}_4)_2(\text{SO}_4)_2 \cdot 6\text{H}_2\text{O}$: A Case of Strong Tetragonal Crystal Field	101
NORBERT MULLER. Charge-Transfer Contributions to Solvent Shifts in Fluorine Magnetic Resonance Spectra	111
LUDGER ERNST, VICTOR WRAY, VYACHESLAV A. CHERTKOV, AND NICKOLAY M. SERGEYEV. High-Resolution Proton-Coupled ^{13}C NMR Spectra of Mono-substituted Benzenes. Theoretical and Empirical Correlations of J_{CH}	123
FRANS NAUWELAERTS AND JAN CEULEMANS. A New Experimental Approach for Obtaining EPR Spectra of Alkane and Alkene Radical Cations	141

J. KRONENBITTER AND A. SCHWENK. A New Technique for Measuring the Relaxation Times T_1 and T_2 and the Equilibrium Magnetization M_0 of Slowly Relaxing Systems with Weak NMR Signals	147
T. SCHAEFER, WILLIAM J. E. PARR, AND WERNER DANCHURA. Concerning the Barrier to Internal Rotation in Isopropylbenzene in Solution	167
WILLIAM J. E. PARR AND TED SCHAEFER. A Proton Magnetic Resonance Determination of the Barrier to Internal Rotation in Benzenethiol in Solution	171
DIETER REHDER. ^{51}V Chemical Shift and ^{51}V - ^{31}P Coupling in Carbonyl Complexes of Vanadium	177
I. MIYAGAWA, Y. HAYASHI, AND Y. KOTAKE. Modulation-induced Sidebands in Magnetic Resonance	183
V. P. TARASOV AND YU A. BUSLAEV. ^{19}F and ^{45}Sc Nuclear Spin Relaxation for the Hexafluoroscandate, Hexafluorotitanate, and Hexafluorogermanate Ions in Aqueous Solution	197
COLIN MAILER, T. SARNA, HAROLD M. SWARTZ, AND JAMES S. HYDE. Quantitative Studies of Free Radicals in Biology: Corrections to ESR Saturation Data	205
F. HOLUJ AND J. WIECZOREK. V Centers in $\text{Ca}(\text{OH})_2$ and $\text{Ca}(\text{OD})_2$	211
COMMUNICATIONS	
P. A. DE JAGER, J. L. DE WIT, M. A. HEMMINGA, AND T. J. SCHAAFSMA. Reduction of Phase and Intensity Anomalies in FT NMR Spectra of a Varian XL-100 Spectrometer	219
V. R. CROSS AND J. S. WAUGH. ^{13}C Chemical Shift Anisotropy and CH Bond Length in Diacetylene	225
KLAUS BOCK AND CHRISTIAN PEDERSON. Assignment of Long-Range Carbon-Proton Couplings through Selective Proton Decoupling	227
RAJ K. GUPTA. A New Look at the Method of Variable Nutation Angle for Measurement of Spin-Lattice Relaxation Times Using Fourier Transform NMR	231
BOOK REVIEW	
"Dynamic Nuclear Magnetic Resonance Spectroscopy." Edited by Lloyd M. Jackman and F. A. Cotton	237
ANNOUNCEMENTS AND NEWS ITEMS	239

NUMBER 2, FEBRUARY 1977

M. P. N. GENT AND J. H. PRESTEGARD. Nuclear Magnetic Relaxation and Molecular Motion in Phospholipid Bilayer Membranes	243
M. SASS AND D. ZIESSOW. Error Analysis for Optimized Inversion Recovery Spin-Lattice Relaxation Measurements	263
A. KUMARASWAMY AND J. SOBHANADRI. Low-Symmetry Effects in the EPR of Gd^{3+} in Two Double Sulfates	277
MICHAEL SJÖSTRÖM AND ULF EDLUND. Analysis of ^{13}C NMR Data by Means of Pattern Recognition Methodology	285
R. GAURA, R. ADAMS, D. D'AVIGNON, G. KOKOSZKA, AND P. SZYDLIK. Weak Exchange and Dimensionality: EPR of $CaCu_xCd_{1-x}(H_3C_2O_2)_4 \cdot 6H_2O$	299
U. HAEBERLEN, S. F. SAGNOWSKI, S. ARAVAMUDHAN, AND H. POST. Qualitative Improvement of Resolution in High-Resolution Proton Magnetic Resonance in Solids	307
A. D. BAIN, R. M. LYNDEN-BELL, WILLIAM M. LITCHMAN, AND E. W. RANDALL. Heteronuclear Double Resonance: Theoretical Description of Intensity Effects in $A(X_2)$ and $A(X_3)$ Systems	315
HACHIZO MUTO, MACHIO IWASAKI, AND KAZUYUKI OHKUMA. ENDOR Studies of γ -Proton Hyperfine Coupling Tensors and Their Conformational Dependence in L-Alanine- d_3	327
B. L. NEFF, J. L. ACKERMAN, AND J. S. WAUGH. Fully Automatic Software Correction of Fourier Transform NMR Spectra	335
M. R. MUSTAFA, B. R. MCGARVEY, AND E. BANKS. The Ligand Hyperfine Interaction with Rare Earth Ions. III. ^{19}F NMR Single-Crystal Study of ErF_3	341
P. ARANGUENA-PAREDES AND T. A. SCOTT. Lithium-7 NMR in Paramagnetic $LiCuCl_3 \cdot 2H_2O$	357
DERICK W. OVENALL AND JAMES J. CHANG. Carbon-13 NMR of Fluorinated Compounds Using Wide-Band Fluorine Decoupling	361

COMMUNICATIONS

D. B. CHESNUT. On the Use of the AW^2 Method for Integrated Line Intensities from First-Derivative Presentations	373
N. J. KOOLE, A. J. DE KONING, AND M. J. A. DE BIE. ^{31}P Relaxation in some Organophosphorus Compounds	375
J. F. HINTON AND R. W. BRIGGS. Solvent Effects on the Spin-Lattice Relaxation Time of the $^{205}Tl^+$ Ion	379

LUCIANO MÜLLER, ANIL KUMAR, AND R. R. ERNST. Two-Dimensional Carbon-13 Spin-Echo Spectroscopy	383
J. W. AKITT AND ROBERT H. DUNCAN. Ionic Species Present in Acetonitrile Solutions of Aluminum Trichloride and Tribromide. New ^{27}Al NMR Results	391
BOOK REVIEWS	
"Topics in Carbon-13 NMR Spectroscopy, Volume 2." Edited by George C. Levy	393
"NMR in Biological Research: Peptides and Proteins." Kurt Wüthrich	393
ANNOUNCEMENTS AND NEWS ITEMS	395
ERRATA	397

NUMBER 3, MARCH 1977

K. A. K. EBRAHEEM AND G. A. WEBB. Calculation of Some ^{17}O Nuclear Screening Constants	399
J. PETERNEJL, R. S. HALLSWORTH, AND M. M. PINTAR. NMR Absorption Lineshape of Ammonium Ion Reorienting Randomly about Twofold Symmetry Axes	413
M. H. PROFFITT AND W. C. GARDNIER, JR. Experimental Measurements of Widths of Unsaturated, Modulation-Broadened Lorentzian Lines	423
J. W. M. DE BOER, C. W. HILBERS, AND E. DE BOER. Lanthanide Shift Reagents. I. Complexation of Mono- and Bifunctional Ethers	437
J. W. M. DE BOER, P. J. D. SAKKERS, C. W. HILBERS, AND E. DE BOER. Lanthanide Shift Reagents. II. Shift Mechanisms	455
GERALD B. MATSON. Signal Integration and the Signal-to-Noise Ratio in Pulsed NMR Relaxation Measurements	477
GERALD B. MATSON. NMR Probe Double-Tuned Matching Boxes for Double-Resonance FT Experiments on Hydrogen and Fluorine	481
M. R. SMITH, H. A. BUCKMASTER, AND R. CHATTERJEE. Magnetic Resonance Lineshape Distortion in Weak Magnetic Fields in the Presence of a Zero-Field Splitting	485
M. R. SMITH, R. CHATTERJEE, AND H. A. BUCKMASTER. The Effect of the Higher-Order Spin Terms in the Generalized Spin Hamiltonian on the g Values	495
M. R. SMITH, R. CHATTERJEE, AND H. A. BUCKMASTER. Anomalous Zero-Field Splitting and g Values of Gd^{3+} in Lanthanide Ethyl Sulfates: Theoretical Considerations	499

A. P. GUIMARÃES, C. LARICA, AND W. VANONI. The EPR of Europium Metal . . .	507
GUY J. ADRIAENSSENS. Electron Spin Resonance Studies of KDP-Type Crystals . .	511
JOSEPH J. PESEK AND W. ROY MASON. Platinum-195 Magnetic Resonance Spectra of Some Platinum(II) and Platinum(IV) Complexes	519
JOSEPH B. LAMBERT AND DANIEL A. NETZEL. Nitrogen-15 and Carbon-13 Spin- Lattice Relaxation in <i>trans</i> -Azobenzene and <i>n</i> -Butyl Nitrite	531
G. R. LUCKHURST AND M. SETAKA. Orientation-Dependent Linewidths. An Electron Resonance Investigation of the Rotation of a Biradical Included in a Thiourea Crystal	539

COMMUNICATIONS

J. F. HINTON AND R. W. BRIGGS. Infinite-Dilution Chemical Shifts of Thallium-205 in the (CH ₃) ₂ Tl(III) Ion	555
GEOFFREY BODENHAUSEN, RAY FREEMAN, GARETH A. MORRIS, REINHARD NIEDERMEYER, AND DAVID L. TURNER. A Simple Approach to Single- Channel Quadrature Detection	559
J. HOUGARDY, W. E. E. STONE, AND J. J. FRIPIAT. Complex Proton NMR Spectra in Some Ordered Hydrates of Vermiculites	563
E. O. STEJSKAL, JACOB SCHAEFER, AND R. A. MCKAY. High-Resolution, Slow-Spinning Magic-Angle Carbon-13 NMR.	569
F. W. WEHRLI. ¹³³ Cs Spin-Lattice Relaxation; Mechanism and Effect of Crown Ether Complexation	575
AUTHOR INDEX FOR VOLUME 25	581

The Subject Index for Volume 25 will appear in the December 1977 issue as part of a cumulative index for the year 1977.



Digitized by the Internet Archive
in 2023

Information for Authors

The *Journal of Magnetic Resonance* includes original papers, both full articles and communications, dealing with the theory, techniques, methods or spectral analysis and interpretation, spectral correlations, and results of magnetic resonance spectroscopy and related fields. The Editor seeks the assistance of expert referees in the evaluation of manuscripts of articles, but he alone is responsible for the final decision concerning acceptance.

Original papers only will be considered. Manuscripts are accepted for review with the understanding that the same work has not been and will not be published nor is presently submitted elsewhere (except as specifically indicated by the author), and that all persons listed as authors have given their approval for the submission of the paper; further, that any person cited as a source of personal communications has approved such citation. Written authorization may be required at the Editor's discretion. Articles and any other material published in the *Journal of Magnetic Resonance* represent the opinions of the author(s) and should not be construed to reflect the opinions of the Editor(s) and the Publisher.

Communications are preliminary accounts of work of special importance or contain discussion of controversial subjects. Communications must be especially carefully and concisely prepared; since they may not be refereed, it is the responsibility of the author to ensure that the manuscript as originally submitted is free of typographical or substantive errors. To save time in publication, proofs of communications are not sent to the authors for correction.

Fifty reprints of each paper are supplied without charge, and additional reprints may be ordered on a form which is sent to the author. For articles, the reprint order form accompanies the galley proofs which the author receives. The Journal *assesses no page or publication charges*.

All manuscripts and books for review should be sent to the Editor, Wallace S. Brey, Department of Chemistry, University of Florida, Gainesville, Florida 32611.

Arrangement of the Paper

If the paper is lengthy, it should be divided into sections, although it is preferred that the sections not be numbered. Tables are numbered consecutively with *Arabic* numerals and are to be mentioned in order in the text. Each table should be supplied with a title. Figures are also numbered consecutively with *Arabic* numerals and are mentioned in order in the text. Each regular article requires an abstract which should describe concisely the substantive content, the conclusions reached, and the contributions of the research described. Since the abstract may be used directly by Chemical Abstracts and other abstracting services, it must be self-contained, having no references to formulas, equations, or bibliographic citations which appear in the body of the manuscript.

Literature references are cited in numerical order in the text by *in-line, parenthesized, italic numerals*. References to "unpublished" or "to be published" work from the author's laboratory should not be given. However, dissertations may be cited, or papers actually accepted may be referred to as "in press" if the name of the journal is included.

Authors are urged to give careful thought to the logical construction of the manuscript, so that explanatory or parenthetical footnotes need not be employed—where possible, such material should be incorporated in the text. Any footnotes which are indispensable are not intermixed with references, but are indicated in the text by consecutive, superscript numerals, and each footnote will then appear in print at the bottom of the page on which it is cited. Equation numbers are given in *square* brackets to the right of the equation, and references in the text to equations should be in the form "Eq. [3]."

Form of Manuscript

Manuscripts should be submitted in triplicate. The *original typewritten copy* should be supplied; mimeo, electrostatic and similar process reproductions are not usually sufficiently clear. All of the typing must be *double-spaced*, including that of abstract, references, and footnotes, on one side of good quality paper approximately 22 × 28 cm (8.5 × 11 in.) in dimensions. The first line of each paragraph is indented.

Each page of the manuscript should be numbered. The first page contains the article title, the author's name, and affiliation. At the bottom of this page should appear any footnotes to the title (indicated by

superscript *, †, ‡); the number of manuscript pages, figures, and tables should also be noted. The second page should contain the abstract of 50–200 words.

Symbols and Abbreviations. The American Chemical Society's Handbook for Authors, 1967 edition, or the Style Manual of the American Institute of Physics should be followed for standard abbreviations, names and symbols for units. Mathematical equations or symbols must be typewritten whenever possible. Greek letters may be identified in pencil in the margin. The author of any manuscript in which there are mathematical equations or symbols is urged to supply a list of these on a separate sheet for the assistance of the printer in selecting the proper type. The list will not appear in print.

References and Footnotes. References to the literature should be cited in order in the text by in-line, parenthesized numerals. The references themselves are to be typed double-spaced on a separate sheet in numerical order. Each reference contains the author's initials, last name, journal name, volume, initial page number and year in parentheses, *in that order*. The name of the journal is abbreviated in the style of Chemical Abstracts' *Service Source Index* (1969 Edition). For book references, the form is author's name, name of the book in quotation marks, editor's name (if any), edition if other than the first, chapter or page number, publisher's name, place of publication, and year of publication.

Any footnotes which are included are numbered in a sequence separate from the references and must be typed in the manuscript on a separate page.

Tables. Tables should be laid out carefully, so that minimum space is used and entries are accurately grouped and clearly labeled. Usually, a table should be arranged vertically, with more rows than columns. Vertical lines are not used to separate the columns. Each table is numbered with an Arabic numeral, provided with a title, and typed on a separate sheet of paper. Footnotes to the table are placed directly below it and are indicated by superscript, lower-case, italic letters (^{a,b,c}). Tables that are longer than two manuscript pages will be reproduced photographically, and should therefore be typed in the exact form desired. All such tables should be carefully checked since errors cannot be corrected in proof.

Figures. Figures must be carefully drawn in black, waterproof drawing ink, to draftsman's standards, with lettering by stencil or drawing machine. Freehand, penciled, or typewritten lettering is not acceptable. Lettering should include numerical scales and units required for the two axes, and should be large enough to be legible after reduction by 50–60%. The illustration copy should be on sheets of the same size as that on which the manuscript is typed. Smaller figures may be mounted on sheets of the required size, and larger originals may be handled by supplying glossy, high-contrast, photographic reductions. The original and two duplicates of each figure are required.

Diagrams. Ink drawings should be supplied for any complex molecular formulas or diagrams involving material which the printer cannot readily set in type.

Proofs. Galley proofs will be sent to the author with reprint order forms. Fifty reprints of each article will be supplied free of charge.